

LITERATURE CITED

- Abella, L.O. 1982. Effect of six soil pH levels on weevil population and severity of damage on sweet potato. BSA Thesis, Visayas State College of Agriculture, Baybay, Leyte. (Abstract). In: E.L. Lopez & C.M. Lantican (eds). 1986. State of the art abstract bibliography of sweet potato research. Crops Bibliography Series No. 9. Philippines Root Crops Information Service, Visayas State College of Agriculture, Leyte, Philippines. p.30.
- Akazawa, T. & I. Uritani. 1960. Isolation of ipomeamarone and two coumarin from sweet potato roots injured by the weevil Cylas formicarius elegantulus F. Arch. Bioch. Biochem. 88: 150-156.
- Altieri, M.A. 1987. Agroecology: the scientific basis of alternative agriculture. Westview Press, Boulder, Colorado. 277 pp.
- Altieri, M.A. & D.K. Letourneau. 1982. Vegetation management and biological control in agroecosystems. Crop Prot. 1(4): 405-430.
- Altieri, M.A. & D.K. Letourneau. 1984. Vegetation diversity and insect pest outbreak. CRC Crit. Rev. Plant Sci. Vol. 2 (Issue 2): 131-169.
- Altieri, M.A. & M. Liebman. 1986. Insect, weed and plant disease management in multiple cropping systems, pp. 183-218. In: C.A. Francis (ed), Multiple cropping systems. MacMillan Publishing Company, New York.
- Alvarez, M.N. 1987. Sweet potato and the African food crisis, pp. 66-69. In: E.R. Terry, M.O. Akoroda & O.B. Arene (eds), Tropical root crops: root crop and the African food crisis. Proceeding of the Third Triennial Symposium of the International Society for Tropical Root Crops - African Branch held in Oweri, Nigeria, 17-23 August 1986. International Development and Research Centre, Ottawa, Ontario.
- Anas, M. 1960. The highland of Australian New Guinea. Geogr. Rev. 50(4): 467-490.
- Andow, D. 1983. Effect of agriculture diversity on insect populations, pp. 91-116. In: W. Lockeretz (ed), Environmentally sound agriculture. Praeger Publishers, New York.
- Andrews, D.J. & A.H. Kassam. 1976. The importance of multiple cropping in increasing world food supplies, pp. 1-10. In: R.I. Papendick, P.A. Sanchez & G.B. Triplett (eds), Multiple cropping. ASA Special Publication No. 27. ASA-CSSA-SSSA, Inc., Madison, Wisconsin.

- Austin, D.F. 1991. Associations between the plant family Convolvulaceae and Cylas weevils, pp. 45-57. In: R.K. Jansson & K.V. Raman (eds), Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Austin, D.F., R.K. Jansson & G.W. Wolfe. 1991. Convolvulaceae and Cylas: a proposed hypothesis on the origin of this plant/insect relationship. Trop. Agric. (Trinidad) 68(2): 162-170.
- AVRDC, 1986. 1984 Progress report. Asian Vegetable Research and Development Center, Shanhua, Taiwan. pp. 147-148.
- AVRDC, 1987. 1985 Progress report. Asian Vegetable Research and Development Center, Shanhua, Taiwan. pp. 67-70.
- AVRDC, 1988. 1986. Progress report. Asian Vegetable Research and Development Center, Shanhua, Taiwan. pp. 201-214.
- Beets, W.C. 1982. Multiple cropping and tropical farming systems. Westview Press, Boulder, Colorado. 156 pp.
- Bishop, L. & S.E. Riechert. 1990. Spider colonization of agroecosystem: mode and source. Environ. Entomol. 19(6): 1738-1745.
- Borrer, D.J., C.A. Triplehorn & N.F. Johnson. 1989. Study of insects. 6th Edition. Saunders College Publishing, Toronto, Ont.
- Bourke, R.M. 1985. Sweet potato (Ipomoea batatas) production and research in Papua New Guinea. Papua New Guinea J. Agric. For. Fish. 33(3-4): 89-108.
- Bouwkamp, J.C. 1985. Introduction - Part I, pp. 3-7. In: J.C. Bouwkamp (ed), Sweet potato products: a natural resource for the tropics. CRC, Press, Inc. Boca Raton, Florida.
- Bradbury, J.H. & W.D. Holloway. 1988. Chemistry of tropical root crops: significance for nutritional and agriculture in the Pacific. Australia Centre for International Agriculture Research, Canberra. pp. 17-20.
- Burroughs, K. 1982. Insectary plants, pp. 31-33. In: L. Korn, B. Snyder & M. Musick (eds), The future is abundance: a guide to sustainable agriculture. Tilth, Arlington, VA.
- Buranday, R.P. & R.S. Raros. 1975. Effects of cabbage-tomato intercropping on the incidence and oviposition of the diamond-back moth, Plutella xylostella (L). Philipp. Entomol. 2(5): 369-374.

- Chiarello, N., J.C. Hickman & H.A. Mooney. 1982. Endomycorrhizal role for interspecific transfer of phosphorous in a community of annual plants. *Sci.* 217: 941-943.
- Cockerham, K.L. 1943. The host preference of the sweet potato weevil. *J. Econ. Entomol.* 36(3): 471-472.
- Cocherham, K.L., O.T. Deen, M.B. Christian & L.D. Newsom. 1954. The biology of the sweet potato weevil. *Louisiana Tech. Bull.* No. 483. 30 pp.
- Commonwealth Institute of Entomology. 1970. Distribution maps of pests, Series A (Agricultural). Map No. 278. Commonwealth Agricultural Bureaux, London.
- Cromatie, W.J.Jr. 1983. The environmental control of insects using crop diversity, pp. 223-250. In: D. Pimental (ed), *CRC Handbook of pest management in agriculture*. CRC Press, Florida.
- Daniel, W.W. 1990. *Applied nonparametric statistic*. 2nd Edition, PWS-KENT Publishing Company, Boston. pp. 226-234
- Dempster, J.P. & T.H. Coaker. 1974. Diversification of crop ecosystems as a means of controlling pests, pp. 59-72. In: D. Prince-Jones & M. E. Solomon (eds), *Biology in pest and disease control*. Blackwell Scientific, Oxford.
- Edje, O.T. 1982. Comparative development and yield and other agronomic characteristics of maize and groundnut in monoculture and in association, pp. 17-26. In: C.L. Keswani & B.J. Ndunguru (eds). *Intercropping. Proceeding of the Second Symposium of Intercropping for Semi Arid Area-held at Morogoro, Tanzania, 4-7 August, 1980*. IDRC, Ottawa, Ontario.
- Edmond, J.B. & G.R. Ammerman. 1971. *Sweet potatoes: production, processing, marketing*. The AVI Publishing Company, Inc. pp. 334.
- Eusebio, J.E. 1983. Population studies on sweet potato weevil (*Cylas formicarius* Farb.) and its natural enemies. (Abstract). In: E.L. Lopez & C.M. Lantican (eds). 1986. *State of the art abstract bibliography of sweet potato research*. Crops Bibliography Series No. 9. Philippines Root Crops Information Service Visayas State College of Agricultural, Leyte, Philippines. pp. 31-32.
- Fabricius, J.C. 1798. Description and habitat of *Cylas formicarius*. *Entomol. Syst. Suppl.* Nos. 5-6: 174.

- FAO, 1973. World census of agriculture, 1960. V. Analysis and international comparison of result. Food and Agriculture Organization of the United Nation, Rome. 240 pp.
- FAO, 1986. Root and tuber crops, plantains and bananas in developing countries: challenges and opportunity. FAO Plant Production and Protection Paper 87. Food and Agriculture Organization of the United Nations, Rome. 83 pp.
- FAO, 1990. FAO yearbook production. Vol. 42, 1989. Food and Agricultural Organization of the United Nations, Rome.
- Ferro, D.N. 1987. Insect pest outbreaks in agroecosystems, pp. 217-238. In: P. Barbosa & J.C. Schultz (eds), Insect Outbreak. Academic Press, Inc., New York.
- Flint, M.L. 1990. Pests of the garden and small farm: a grower's guide to using less pesticide. Statewide Integrated Pest Management Project, Division of Agriculture and Natural Resources, Publication 3332. The Regents of the University of California.
- Fordham, R. 1983. Intercropping - what are the advantages ? Outlook Agric. 12(13): 142-146.
- Francis, C.A. 1986. Introduction: distribution and importance of multiple cropping, pp. 1-19. In: C.A. Francis (ed), Multiple cropping systems. Macmillan Publishing Company, New York.
- Francis, C.A., C.A. Flor & S.R. Temple. 1976. Adapting varieties for intercropping systems in the tropics, pp. 235-253. In: R.I. Pependick, P.A. Sanchez & G.B. Triplett (eds), Multiple cropping. ASA Special Publication No. 27. ASA-CSSA-SSSA, Inc., Madison, Wisconsin.
- Franssen, C.J.H. 1934. Insect pests of sweet potato in Java. Original Dutch Publication "Insecten, Schadelijk aan het batatengewas op Java". Translated by AVRDC, 1986. Asian Vegetable Research and Development Center, Shanhua, Taiwan. 23 pp.
- Gliessman, S.R. 1985. Multiple cropping systems: a basis for developing an alternative agriculture, pp. 69-86. In: Office of Technology Assessment (ed). Innovative technologies for lesser developed countries. Government Printing Office, Washington, DC.
- Gomez, K.A. & A.A. Gomez. 1976. Statistical procedures for agricultural research, with emphasis on rice. International Rice Research Institute, Los Banos, Philippines. pp. 190-201.

- Gomez, A.A. & K.A. Gomez. 1983. Multiple cropping in the humid tropics of Asia. International Development and Research Centre, Ottawa, Ontario.
- Gomez, K.A. & A.A. Gomez. 1984. Statistical procedures for agriculture research, 2nd Edition. John Wiley & Sons, New York. pp. 298-308.
- Gomez, A.A. & H.G. Zandstra. 1977. An analysis of the role of legumes in multiple cropping systems, pp. 81-95. In: J.M. Vincent, A.S. Whitney & J. Bose (eds), Exploiting the legume-Rhizobium symbiosis in tropical agriculture. Proceeding of a workshop held at Kahului, Maui, Hawaii, August 23-28, 1976. Coll. Trop. Agric. Miscell. Publ. 145, University of Hawaii.
- Gonzales, S.S. 1925. The sweet potato weevil (Cylas formicarius Fabr.). The Philippines Agriculturist 14(5): 257-282.
- Hadfield, W. 1989. Country paper - Papua New Guinea, pp. 71-77. In: International Potato Center (ed), Improvement of sweet potato (Ipomoea batatas) in Asia. Report of the workshop on sweet potato improvement in Asia, held at ICAR, India, October 24-28, 1988.
- Hahn, S.K. 1977. Sweet potato, pp. 237-248. In: Alvim, Poulo de T. (ed), Ecophysiology of tropical crops. Academic Press, New York.
- Hahn, S.K. & K. Leuschner. 1981. Resistance of sweet potato cultivars to African sweet potato weevil. Crop Sci. 21: 499-503.
- Hahn, S.K., J.C.G. Isoab & T. Ikotum. 1989. Resistance breeding in root and tuber crops at the International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria. Crop Prot. 8: 147-168.
- Hare, J.D. 1983. Manipulating of host suitability for herbivore pest management, pp. 655-689. In: R.F. Denno & M.S. McClure (eds). Variable plants and herbivores in natural managed systems. Academic Press, New York.
- Harwood, R.R. & E.C. Price. 1976. Multiple cropping in tropical Asia, pp. 11-40. In: R.I. Papendick, P.A. Sanchez & G.B. Triplett (eds), Multiple cropping. ASA Special Publication No. 27. ASA-CSSA-SSSA, Inc., Madison, Wisconsin.
- Hetrick, B.A.D. 1984. Ecology of VA Micorrhiza fungi, pp. 35-56. In: C. L.I. Powell & D.J. Bagyarag (eds), V A Mycorrhiza. CRC Press, Inc., Boca Raton, Florida.

- Hill, D.S. 1983. Agricultural insect pest of the tropics and their control. 2nd Edition, Cambridge University Press, London. pp. 408-409.
- Hill, S.B. & J.A. Ramsay. 1977. Limitation of the energy approach in defining priorities in agriculture, pp. 713-731. In: W. Lockeretz (ed), Agriculture and energy. Academic Press, New York.
- Ho, T.H. 1970. Studies on some major pests of sweet potatoes and their control. Malay. Agric. J. 47: 437-452.
- Hollingsworth, C. & K. Idoine. 1992. An environmental gardener's to pest management. Environ. Gard. 48(1): 26-32.
- Horton, D. 1988. Underground crops: long-term trends in production of roots and tubers. Winrock International, Morrilton, AR. (Table 12).
- Horton, D.E. 1989. Recent trends in world sweet potato production and use, pp. 17-32. In: K.T. Mackay, M.K. Palomar & R.T. Sanico (eds), Sweet potato research and development for small farmers. SEAMEO-SEARCA, College, Laguna, The Philippines.
- Horton, D.E. & P.T. Ewell. 1991. Sweet potato pest management: a social science perspective, pp. 407-427. In: R.K. Jansson & K.V. Raman (eds), Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Horwith, B. 1985. A role for intercropping in modern agriculture. BioScience 35(5): 286-291.
- Hung, A.C.F. 1985. Chromosomal polymorphism in sweet potato weevil, Cylas formicarius. Cytologia 50: 769-772.
- Jansson, R.K. 1991^a. Biological control of Cylas spp., pp. 169-201. In: R.K. Jansson & K.V. Raman (eds) Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Jansson, R.K. 1991^b. Nematodes control sweet potato weevil. IPM Practitioner XIII(9): 11-12
- Jansson, R.K. & K.V. Raman. 1991. Sweet potato pest management: a global overview, pp. 1-12. In: R.K. Jansson & K.V. Raman (eds), Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Janssens, M.J.J. 1982. Sweet potato improvement in Rwanda, pp. 27-32. In: Root crops in eastern Africa. Proceeding of a workshop held in Kigali, Rwanda, 23-27 November 1980. International Development and Research Centre, Ottawa, Ontario.

- Kalshoven, L.G.E. 1981. Pests of crops in Indonesia (revised and translated by P.A. van der Laan & G.H.L. Rothschild). P.T. Ichtiar Baru - van Hoeve, Jakarta. pp. 521-523.
- Karafir, Y.P. 1989. Sweet potato in Irian Jaya, pp. 317-323. In: K.T. Mackay, M.K. Palomar & R.T. Sanico (eds), Sweet potato research and development for small farmers. SEAMEO-SEARCA, College, Laguna, The Philippines.
- Kareiva, P. 1983. Influence of vegetation texture on herbivore population: resource concentration and herbivore movement, 259-289. In: R.F. Denno & M.S. McClure (eds), Variable plants and herbivores in natural and managed systems. Academic Press, New York.
- Karel, A.K., D.A. Lakhani & B.J. Ndunguru. 1982. Intercropping of maize and cowpea: effect of plant population on insect pests and seed yield, pp. 102-109. In: C.L. Keswani & B.J. Ndunguru (eds), Intercropping. Proceeding of the Second Symposium on Intercropping in Semi-Arid Areas, held at Morogoro, Tanzania, 4-7 August 1980.
- Karyoto, S.A., S. Kubangun, O. Weyai & S. Baan. 1987. Survey pemetaan kebun percobaan Manggoapi Faperta Uncen Manokwari. Faperta Uncen, Manokwari, Irian Jaya.
- Kass, D.C.L. 1978. Polyculture cropping systems: review and analysis. Cornell International Agriculture Bulletin 32. New York State College of Agriculture and Life Sciences, Cornell University, Ithaca, New York. 69 pp.
- Kayumbo, H.Y. 1976. Pest control in mixed cropping systems, In: Proceeding of the First Symposium of Intercropping for Semi Arid Areas, Morogoro, Tanzania, 10-12 May.
- La Ahmady, 1988. Personal communication.
- Lal, R. 1986. Soil surface management in the tropics for intensive land use and high sustained production. Adv. Soil Sci. 5: 1-138.
- Lal, R. 1989. Conservation tillage for sustainable agriculture: tropics versus temperate environment. Adv. Agron. 42: 85-197.
- Lamb, K.P. 1974. Economic entomology in the tropics. Academic Press, New York. p. 104.
- Letourneau, D.K. 1990. Mechanisms of predator accumulation in a mixed crop system. Ecol. Entomol. 15: 63-69.

- Liebman, M. 1987. Polyculture cropping systems, pp. 115-135. In: M.A. Altieri (ed), *Agroecology: the scientific basis of alternative agriculture*. Westview Press, Boulder, Colorado.
- Litsinger, J.A. & K. Moody. 1976. Integrated pest management in multiple cropping systems, pp. 293-316. In: R.I. Papendick, P.A. Sanchez & G.B. Triplett (eds), *Multiple cropping*. ASA Special Publication No. 27. ASA-CSSA-SSSA Inc., Madison, Wisconsin.
- Lu, S.L., Q.H. Xue, D.P. Zhang & B.F. Song. 1989. Sweet potato production and research in China, pp. 21-30. International Potato Center (ed), *Improvement of sweet potato (Ipomoea batatas) in Asia*. Report of the workshop on sweet potato improvement in Asia, held at ICAR, India, October 24-28, 1988.
- Mackay, K.T. 1989. Small potato, small farmers, and need for cooperative research, pp. 33-41. In: K.T. Mackay, M.K. Palomar & R.T. Sanico (eds), *Sweet potato research and development for small farmers*. SEAMEO-SEARCA, College, Laguna, The Philippines.
- Manwan, I. & A. Dimiyati. 1989. Sweet potato production, utilization, and research in Indonesia, pp. 43-52. In: International Potato Center (ed), *Improvement of sweet potato (Ipomoea batatas) in Asia*. Report of the workshop on Sweet Potato Improvement in Asia, held at ICRA, India, October 24-28, 1988.
- Moreno, R.A. 1982. Intercropping with sweet potato (Ipomoea batatas) in Central America, pp. 243-254. In: R.I. Villareal & T.D. Griggs (eds), *Sweet potato. Proceeding of the First International Symposium*. Asian Vegetable Research and Development Center, Shanhua, Taiwan.
- Mullen, M.A. 1981. Sweet potato weevil, Cylas formicarius elegantulus (Summers): development, fecundity, and longevity. *Ann. Entomol. Soc. Am.* 74: 478-481.
- Mullen, M.A., A. Jones, D.R. Paterson & T.E. Boswell. 1985. Resistance in sweet potatoes to the sweet potato weevil, Cylas formicarius elegantulus (Summers). *J. Entomol. Sci.* 20(3): 345-350.
- Muruvanda, D.A. 1985. Insecticidal control of sweet potato weevil, Cylas formicarius F. (Coleoptera: Curculionidae) in Hawaii. *Trop. Agric. (Trinidad)* 63(2): 155-157.

- Nafus, D.M. & I.H. Schreiner. 1986. Intercropping maize and sweet potatoes: effects on parasitization of Ostrinia furnacalis eggs by Trichogramma chilonis. Agric. Ecosys. & Environ. 15: 189-200.
- Nafus, D.M. & I.H. Schreiner. 1991. Review of the biology and control of the Asian corn borer, Ostrinia furnacalis (Lep: Pyralidae). Trop. Pest Manage. 37(1): 41-56.
- Neave, S.A. (ed). 1939. Nomenclator zoologicus. Vol. I (A-C). The Zoological Society of London, London.
- Nicol, H. 1935. Mixed cropping in primitive agriculture. Emp. J. Exp. Agric. 3(10): 189-195.
- Nottingham, S.F., K-C. Son, D.D. Wilson, R.F. Severson & S.J. Kays. 1988. Feeding by adult sweet potato weevils, Cylas formicarius elegantulus, on sweet potato leaves. Entomol. Exp. Appl. 48: 157-163.
- Nwinyi, S.C.O. 1987. Sweet potato: a potential industrial and staple food crop of Nigeria. Outlook Agric. 16(4): 178-181.
- O'Hair, S.K. 1991. Growth of sweet potato in relation to attack by sweet potato weevils, pp. 59-78. In: R.K. Jansson & K.V. Ramaan (eds), Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Okigbo, B.N. & D.J. Greenland. 1976. Intercropping systems in tropical Africa, pp. 63-103. In: R.I. Papendick, P.A. Sanchez & G.B. Triplett (eds), Multiple cropping. ASA Special Publication No. 27. ASA-CSSA-SSSA, Inc., Madison, Wisconsin.
- Oldeman, L.R., I. Las & Muladi. 1980. The agroclimatic maps of Kalimantan, Maluku, Irian Jaya and Bali, West and East Nusa Tenggara. Contrib. Cent. Res. Inst. Agric. Bogor. No. 60. 32 pp.
- Onwueme, I.C. 1978. The tropical tuber crops: yams, cassava, sweet potato, and cocoyam. John Wiley & Sons, New York. pp. 167-195.
- Oomen, H.A.P.C. 1971. Ecology of human nutrition in New Guinea: evaluation of subsistence patterns. Ecol. Food & Nutr. 1: 1-16.
- Oomen, H.A.P.C., W. Spoon, J.E. Heesterman, J. Ruinard, R. Luyken & P. Slump. 1961. The sweet potato as the staff of life of the highland Papuan. Trop. Geogr. Med. 13(55): 55-66.

- Osiru, D.O.S. 1982. Genotype identification for intercropping systems. Summary, pp. 91-92. In: C.L. Geswani & B.J. Ndunguru (eds). Intercropping. Proceeding of the Second Symposium of Intercropping for Semi Arid Area - held at Morogoro, Tanzania, 4-7 August, 1980. International Development Research Centre, Ottawa, Ontario.
- Palomar, M.K., E.F. Bulayog & van den Truong. 1989. Sweet potato research and development in the Philippines, pp. 79-85. In: International Potato Center (ed), Improvement of sweet potato (*Ipomoea batatas*) in Asia. Report of the workshop on sweet potato improvement in Asia, held at ICAR, India, October 24-28, 1988.
- Pardales, J.R. Jr. & A.F. Cerna. 1987. An agronomic approach to the control of sweet potato weevil (*Cylas formicarius elegantulus* F.). Trop. Pest Manage. 33(1): 32-34.
- Parfait, G & M. Jarry. 1987. Diversite vegetale et impact des insectes phytophages: une revue bibliographique methodes appliquees au cas des cultures associees. Acta Ecol. 8(3): 365-378.
- Perrin, R.M. 1977. Pest management in multiple cropping. Agro-Ecosystems 3: 93-118.
- Pfeiffer, H.J. 1982. Sweet potato improvement in Cameroon, pp. 33-38. In: Root crops in eastern Africa. Proceeding of a workshop held in Kigali, Rwanda, 23-27 November 1980. International Development and Research Centre, Ottawa, Ontario.
- Pierce, W.D. 1918. Weevils which affect irish potato, sweet potato, and yam. J. Agric. Res. 12(9): 601-612.
- Pierce, W.D. 1940. Studies on the sweet potato weevils of the subfamily Cyladidae. Bull. South Calif. Acad. Sci. 39: 205-228.
- Pimentel, D. 1961. Species diversity and insect population outbreak. Ann. Entomol. Soc. Am. 54: 76-86.
- Poincelot, R.P. 1986. Toward a more sustainable agriculture. AVI, Publishing Company, Inc., Westport. CT. 241 pp.
- Pospisil, L. 1963. Kapauku Papuan economy. Yale University Publication in Anthropology 67. New Haven, Conn. pp 78-127.
- Power, J.F. & R.F. Follett. 1987. Monoculture. Sci. Am. 256(3): 79-86.

- Price, P.W. 1986. Ecological aspects of host plant resistance and biological control: interactions among three trophic levels, pp. 11-30. In: D.J. Boethel & R.D. Eikenbary (eds), Interaction of plant resistance and parasitoids and predators of insects. John Wiley & Sons, New York.
- Proshold, P.L., J.L. Gonzales, C. Arsencio & R.R. Heath. 1986. A trap for monitoring the sweet potato weevil, Cylas formicarius F. (Coleoptera: Curculionidae) using pheromone or live females as bait. J. Econ. Entomo. 79: 641-647.
- Rajamma, P. 1983. Biology and bionomic of sweet potato weevil, Cylas formicarius Farb., pp. 87-92. In: S.C. Goel (ed), Insect ecology and resource management. Sanatan Dharma College, Muzaffarnagar, India.
- Raman, K.V. 1989. Strategies to develop sweet potatoes with weevil resistance in developing countries, pp. 203-211. In: International Potato Center (ed), Improvement of sweet potato (Ipomoea batatas) in Asia. Report of the workshop on sweet potato improvement in Asia, held at ICAR, India, October 24-28, 1988.
- Rappaport, R. 1984. Pigs for the ancestors: ritual in the ecology of a New Guinea people. Yale University Press, New Haven, Conn.
- Reinhard, H.J. 1923. The sweet potato weevil. Texas Agric. Exp. Sta. Bull. No. 308. 90 pp.
- Riechert, S.E. & T. Lockley. 1984. Spiders as biological control agents. Annu. Rev. Entomol. 29: 299-320.
- Risch, S.J. 1979. A comparison by sweep sampling of the fauna from corn and sweet potato monocultures and dicultures in Costa Rica. Oecologia (Berl.) 42: 195-211.
- Risch, S.J. 1987. Agricultural ecology and insect outbreaks, pp. 217-238. In: P. Barbosa & J.E. Schultz (eds), Insect outbreak. Academic Press, Inc., New York.
- Risch, S.J., D. Andow & M.A. Altieri. 1983. Agroecosystem diversity and pest control: data, tentative conclusions, and new research directions. Environ. Entomol. 12: 625-629.
- Roberts, L., T.V. Ferguson & L. Wilson. 1983. Intercropping of sweet potato with corn, pp. 95-105. In: Annual Report 1978-1981, Faculty of Agriculture, The University of the West Indies, St. Augustine, Trinidad, West Indies.

- Roder, W., E. Anderhalden, P. Gurung & P. Dukpa. 1992. Potato intercropping systems with maize and faba bean. *Am. Potato J.* 69: 195-202.
- Root, R.B. 1973. Organization of a plant-arthropod association in simple and diverse habitats: the fauna of collards (*Brassica oleracea*). *Ecol. Monogr.* 43: 95-124.
- Roy, R.N. & H. Braun. 1983. Fertilizer use under multiple cropping systems - an overview, pp. 9-23. In: Fertilizer use under multiple cropping systems, FAO Fertilizer and Plant Nutrition Bulletin 5. Food and Agriculture Organization of the United Nations, Rome.
- Ruinard, J. 1969. Notes on sweet potato research in West New Guinea (West Irian), pp. III/88 - III/111. In: E.A. Tai, W.B. Charles, P.H. Haynes, E.F. Iton & K.A. Leslie (eds), Proceeding of the International Symposium on Tropical Root Crops, Volume I. University of the West Indies St. Augustine, Trinida, 2-8 April 1967.
- Sato, K., I. Uritani, T. Saito & H. Honda. 1977. Isolation of the sweet potato weevil factor causing terpene induction in sweet potato roots. *Agric. Biol. Chem.* 41(8): 1419-1423.
- Schalk, J.M. & A. Jones. 1985. Major insect pests, pp. 59-78. In: J.C. Bouwkamp (ed), Sweet potato products: a natural resource for the tropics. CRC Press Inc., Boca Raton, Florida.
- Sheehan, W. 1986. Response by specialist and generalist natural enemies to agroecosystem diversification: a selection review. *Environ. Entomol.* 15: 456-461.
- Sherman, M. & M. Tamashiro. 1954. The sweet potato weevil in Hawaii: their biology and control. *Hawaii Agric. Exp. Sta. Tech. Bull. No. 23.* 36 pp.
- Simon Thomas, R.T. 1962. De Plagen van Enkele Cultuur-Gewassen in West Nieuw Guinea. *Landbouwkundige Serie I:* 12-13.
- Simon Thomas, R.T. 1964. Some aspects of life history, genetic, distribution, and taxonomy of *Aspidomorpha adhaerens* (Weber, 1801) (Cassidinae, Coleoptera). *Tijdschr. Entomol.* 107(4): 167-264.
- Singh, S.R. 1977. *Cylas puncticollis* Boh., pp. 403-404. In: J.Kranz, H. Schmitter & W. Koch (eds), Diseases, pests and weeds in tropical crops. John Wiley & Sons, New York.

- Singh, B., S.S. Yazdani, R. Singh & S.F. Hameed. 1984. Effect of intercropping on the incidence of sweet potato weevil, Cylas formicarius Farb., in sweet potato (Ipomoea batatas Lam.). J. Entomol. Res. 16(2): 13-195.
- Sorensen, T. 1948. A method of establishing groups of equal amplitude in plant sociology based on similarity of species content. Kong. Dan. Vidensk. Selsk. Biol. Skr. 5(4): 1-34. Cited from: Macfadyen, A. 1963. Animal ecology: aims and methods. Sir Isaac Pitman & Sons Ltd., London. p. 196.
- Southwood, T.R.E. 1982. Ecological methods: with particular reference to the study of insect population. 2nd Edition. Chapman and Hall, London. pp. 432-433.
- Steiner, K.G. 1984. Intercropping in tropical smallholder agriculture: with special reference to West Africa. German Agency for Technical Cooperation (GTZ), D-6236 Eschborn.
- Subramanian, T.R. 1957. Description and life-history of a new weevil of the genus Protocylas from Coimbatore. Indian J. Entomol. 19(Part 3): 204-213.
- Subramanian, T.R. 1959. Observation on the biology of Cylas formicarius Fabricius at Coimbatore. Madras Agric. J. 46(8): 293-297.
- Summers, S.V. 1875. Described sweet potato weevil as Otidocephalus elegantulus. New Orleans Home J., Ja, & Dec.
- Suryatna, E.S. & R.R. Harwood. 1976. Nutrient uptake of two traditional intercrop combination and insect and disease incidence in three intercrop combination. IRRI Saturday Seminar, February 28.
- Sutherland, J.A. 1986^a. A review of biology and control of the sweet potato weevil, Cylas formicarius (Fab.). Trop. Pest. Manage. 32(4): 304-315.
- Sutherland, J.A. 1986^b. Damage by Cylas formicarius Fab. to sweet potato vines and tubers, and the effect of infestation on total yield in Papua New Guinea. Trop. Pest Manage. 32(4): 316-323.
- Szent-Ivany, J.J. 1958. Insects of cultivated plants in the Central Highlands of New Guinea, pp. 427-437. In: Proceeding of Tenth International Congress of Entomology, Montreal, August 17-25, 1956. Vol 3. Agricultural Entomology, Medical and Veterinary Entomology.

- Tahvanainen, J.C. & R.B. Root. 1972. The influence of vegetational diversity on the population ecology of a specialized herbivore Phyllotreta cruciferae (Coleoptera: Chrysomelidae). *Oecologia (Berl.)* 10: 342-344.
- Talekar, N.S. 1983. Infestation of a sweet potato weevil (Coleoptera: Curculionidae) as influenced by pest management techniques. *J. Econ. Entomol.* 76: 342-344.
- Talekar, N.S. 1987. Influence of cultural pest management techniques on the infestation of sweet potato weevil. *Insect Sci. Appl.* 8(4/5/6/): 809-814.
- Talekar, N.S. 1988. How to control sweet potato weevil: a practical IPM approach. *International Cooperation's Guide. Asian Vegetable Research and Development Centre, Shanhua, Taiwan.*
- Talekar, N.S. 1989. Development and testing of an integrated pest management technique to control sweet potato weevil, pp. 117-126. In: *International Potato Center (ed), Improvement of sweet potato (Ipomoea batatas) in Asia. Report of the workshop on sweet potato improvement in Asia, held at ICAR, India, October 24-28, 1988.*
- Talekar, N.S. 1991. Integrated control of Cylas formicarius, pp. 139-156. In: R.K. Jansson & K.V. Raman (eds), *Sweet potato pest management: a global perspective.* Westview Press, Boulder, Colorado.
- Tingey, W.M. & W.J. Lamont, Jr. 1988. Insect abundance in field beans altered by intercropping. *Bull. Entomol. Res.* 78: 527-535.
- Trenbath, B.R. 1974. Biomass productivity in mixture. *Adv. Agron.* 26: 177-210.
- Trenbath, B.R. 1986. Resource use by intercrops, pp. 57-81. In: C.A. Francis (ed), *Multiple cropping systems.* Macmillan Publishing Company, New York.
- Trehan, K.N. & S.R. Bagal. 1957. Life history, bionomic and control of sweet potato weevil (Cylas formicarius F.) with short notes on some other pests of sweet potato in Bombay State. *Indian J. Entomol.* 19(part I-IV): 245-252.
- Uritani, I., T. Saito., H. Honda & W.K. Kim. 1975. Induction of furanoterpenoids in sweet potato roots by the larval components of the sweet potato weevil. *Agric. Biol. Chem.* 39(9): 1857-1862.

- van Driest, J. Ph. & J. Ruinard. 1960. Chemischebestrijding van de batatensnuitkever, Cylas formicarius F. Med. Landouwk. Afd. No. 4. Agrarisch Proefstation of Nederlands Nieuw-Guinea. 6 pp.
- van Emden, H.F. 1990. Plant diversity and natural enemy efficiency in agroecosystems, 63-80. In: M. Mackauer, L.E. Ehler & J. Roland (eds), Critical issues in biological control. Intercept, Andover, Hants, UK.
- Vandermeer, J.H. 1989. The ecology of intercropping. Cambridge University Press, Cambridge, UK.
- Vandermeer, J.H. 1990. Intercropping, pp. 481-516. In: C.R. Carroll, J.H. Vandermeer & P. Rosset (eds.), Agroecology. McGraw-Hill Publishing Company, New York.
- Villareal, R.L. 1982. Sweet potato in the tropics - progress and problems, pp. 3-16. In: R.L. Villareal & T.D. Griggs (eds), Sweet potato. Proceeding of the First International Symposium. Asian Vegetable Research and Development Center, Shanhua, Taiwan.
- Way, M.J. 1977. Pest and disease status in mixed stand vs monoculture: the relevance of ecosystem stability, pp. 127-138. In: J.M. Cherret & C.R. Sagar (eds), Origin of pest, parasite, disease and weed problems. Blackwell, Oxford, England.
- Willey, R.W. 1979. Intercropping - Its importance and research needs. Part I. Competition and yield advantages. Field Crop Abstr. 32(1): 1-10.
- Wilson, L.A. 1982. Tuberization in sweet potato (Ipomoea batatas (L.) Lam.), pp. 79-94. In: R.L. Villareal & T.D. Griggs (eds), Sweet potato. Proceeding of the First International Symposium. Asian Vegetable Research and Development Center, Shanhua, Taiwan.
- Wilson, L.A. & S.B. Lowe. 1973. Quantitative morphogenesis of root types in the sweet potato (Ipomoea batatas (L.) Lam.) root systems during growth from stem cuttings. Trop. Agric. (Trinidad) 50: 343-345.
- Wolfe, G.W. 1988. Vicariance, phylogenetics in assessing species relationships and distributional patterns of species Cylas (Coleoptera: Curculionidae), p. 41. In: Abstract and Author Index of Proceeding of XVIII International Congress of Entomology, Vancouver, B.C., Canada, July 3 to 9, 1988.

- Wolfe, G.W. 1991. The origin and dispersal of the pest species of Cylas with a key to the pest group of the world, pp. 13-43. In: R.K. Jansson & K.V. Raman (eds), Sweet potato pest management: a global perspective. Westview Press, Boulder, Colorado.
- Wolfenbarger, D.O. & S.D. Walker. 1974. Concerning sweet potato weevil control. Fla. Entomol. 57(3): 274.
- Yen, D.E. 1974. The sweet potato and Oceania: an essay in ethnobotany. Bernice. P. Bishop Museum Bulletin 236. Bishop Museum Press, Honolulu, Hawaii.